

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art of record, which is the most pertinent art found, fails to teach and/or fairly suggest the instant invention. Applicant's Rule 1.132 declaration provides evidence that the particle size of the calcium hydroxide of the JP2003-277111A reference differs from that which is instantly claimed. The declaration further shows that the concretion promoting effect of the present invention is obtained when the average particle diameter of the calcium hydroxide is 2.5 μm or less.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony J. Green whose telephone number is (571)272-1367. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry A. Lorengo can be reached on 571-272-1233. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**/Anthony J Green/
Primary Examiner
Art Unit 1793**

ajg
October 14, 2009